Forest Ecology and Management, 55 (1992) 347–349
Elsevier Science Publishers B.V., Amsterdam

Author Index

Alfaro, R.I. (Victoria, B.C., Canada) and Maclauchlan, L.E. (Kamloops, B.C., Canada)
A method to calculate the losses caused by western spruce budworm in uneven-aged Douglas fir forests of British Columbia 295
Apsley, D.K., *see* Bongarten, B.C. et al.
Barreto, P., *see* Verissimo, A. et al.
Basu, S., Pati, D.P. and Behera, N. (Burla, Orissa, India)
Microfungal biomass in some tropical forest soils of Orissa, India 333
Becker, M., *see* Lévy, G. et al.
Behera, N., *see* Basu, S. et al.
Bongarten, B.C., Huber, D.A. and Apsley, D.K. (Athens, GA, USA)
Environmental and genetic influences on short-rotation biomass production of black locust (*Robinia pseudoacacia* L.) in the Georgia Piedmont 315
Cannell, M.G.R., *see* Milne, R. et al.
Carter, R.E. and Klinka, K. (Vancouver, B.C., Canada)
Variation in shade tolerance of Douglas fir, western hemlock, and western red cedar in coastal British Columbia 87
Deans, J.D., *see* Milne, R. et al.
Dickson, D.A., *see* Robinson, C.H. et al.
Duhamel, D., *see* Lévy, G. et al.
Dupouey, J.L., *see* Thimonier, A. et al.
Emperaire, L., *see* Lescure, J.-P. et al.
Ernst, R.L., *see* Hillebrand, J.J. et al.
Fairweather, S.E., *see* Hillebrand, J.J. et al.
Franciscon, C., *see* Lescure, J.-P. et al.
Freedman, B. (Halifax, N.S., Canada), Meth, F. and Hickman, C. (Fredericton, N.B., Canada)
Temperate forest as a carbon-storage reservoir for carbon dioxide emitted by coal-fired generating stations. A case study for New Brunswick, Canada 15
Gobena, A., *see* Schacht, W.H. et al.
Hickman, C., *see* Freedman, B. et al.
Hillebrand, J.J., Fairweather, S.E. (University Park, PA, USA), Ernst, R.L. and Stout, S.L., (Warren, PA, USA)
Using relative diameter to improve density measures in Allegheny hardwood stands 225
Holmes, G., *see* Turner, J. et al.
Huber, D.A., *see* Bongarten, B.C. et al.
Imo, M. and Timmer, V.R. (Toronto, Ont., Canada)
Growth, nutrient allocation and water relations of mesquite (*Prosopis chilensis*) seedlings at differing fertilization schedules 279
Ineson, P., *see* Robinson, C.H. et al.
Jarvis, P.G., *see* Milne, R. et al.
Karmacharya, S.B. and Singh, K.P. (Varanasi, India)
Biomass and net production of teak plantations in a dry tropical region in India 233

Klinka, K., *see* Carter, R.E. and Klinka, K.
Knowe, S.A. (Corvallis, OR, USA)
Predicting the impact of interspecific competition in young loblolly pine plantations with diameter distribution models 65
Lambert, M.J., *see* Turner, J. et al.
Lanasa, M., *see* Tryon, E.H. et al.
Lescure, J.-P., Emperaire, L. and Franciscon, C. (Manaus, Brazil)
Leopoldinia piassaba Wallace (Arecaceae): a few biological and economic data from the Rio Negro region (Brazil) 83
Lévy, G., Becker, M. (Champenoux, France) and Duhamel, D. (Saint-Saulve, France)
A comparison of the ecology of pedunculate and sessile oaks: radial growth in the centre and northwest of France 51
Long, J.N., *see* Schacht, W.H. et al.
Maclauchlan, L.E., *see* Alfaro, R.I. and Maclauchlan, L.E.
Mailly, D. and Margolis, H.A. (Sainte-Foy, Que., Canada)
Forest floor and mineral soil development in *Casuarina equisetifolia* plantations on the coastal sand dunes of Senegal 259
Margolis, H.A., *see* Mailly, D. and Margolis, H.A.
Mattos, M., *see* Verissimo, A. et al.
McPherson, G.R. (Tucson, AZ, USA)
Comparison of linear and non-linear overstory–understory models for ponderosa pine: a conceptual framework 31
Meth, F., *see* Freedman, B. et al.
Milne, R., Deans, J.D., Cannell, M.G.R. (Penicuik, UK), Sattin, M. and Jarvis, P.G. (Edinburgh, UK)
The biomass production of three poplar clones in relation to intercepted solar radiation 1
Nakashizuka, T., *see* Peters, R. et al.
Nys, C., *see* Robinson, C.H. et al.
Ohkubo, T., *see* Peters, R. et al.
Osorio, L.F., *see* Wright, J.A. and Osorio, L.F.
Pati, D.P., *see* Basu, S. et al.
Peters, R. (Wageningen, Netherlands), Nakashizuka, T. (Ibaraki, Japan) and Ohkubo, T. (Tochigi, Japan)
Regeneration and development in beech–dwarf bamboo forest in Japan 35
Piearce, T.G., *see* Robinson, C.H. et al.
Robinson, C.H., Ineson, P. (Grange-over-Sands, UK), Piearce, T.G. (Lancaster, UK), Dickson, D.A., (Belfast, UK) and Nys, C. (Champenoux, France)
Earthworm communities of limed coniferous soils: field observations and implications for forest management 117
Sands, R., *see* Sun, J.S. et al.
Sattin, M., *see* Milne, R. et al.
Schacht, W.H. (San Angelo, TX, USA), Long, J.N. (Logan, UT, USA) and Gobena, A. (Sunnyvale, CA, USA)
Aboveground biomass accumulation in coppicing woodland, northeast Brazil 201
Simpson, R.J., *see* Sun, J.S. et al.
Singh, K.P., *see* Karmacharya, S.B. and Singh, K.P.
Stout, S.L., *see* Hillebrand, J.J. et al.
Sun, J.S., Sands, R. and Simpson, R.J. (Parkville, Vic., Australia)
Genotypic variation in growth and nodulation by seedlings of Acacia species 209

Tarifa, R., *see* Verissimo, A. et al.
Thimonier, A., Dupouey, J.L. and Timbal, J. (Seichamps, France)
Floristic changes in the herb-layer vegetation of a deciduous forest in the Lorraine Plain under the influence of atmospheric deposition 149
Timbal, J., *see* Thimonier, A. et al.
Timmer, V.R., *see* Imo, M. and Timmer, V.R.
Townsend, E.C., *see* Tryon, E.H. et al.
Tryon, E.H., Townsend, E.C. (Morgantown, WV, USA) and Lanasa, M., (Escanaba, MI, USA)
Radial growth response of understory sugar maple (*Acer saccharum* Marsh.) surrounding openings 249
Turner, J., Lambert, M.J. and Holmes, G. (Beecroft, N.S.W., Australia)
Nutrient cycling in forested catchments in southeastern New South Wales. 1. Biomass accumulation 135
Uhl, C., *see* Verissimo, A. et al.
Verissimo, A., Barreto, P., Mattos, M., Tarifa, R. (Belém, Brazil) and Uhl, C. (University Park, PA, USA)
Logging impacts and prospects for sustainable forest management in an old Amazonian frontier: the case of Paragominas 169
Wright, J.A. and Osorio, L.F. (Cali, Colombia)
Results of provenance and family within provenance trials of *Pinus tecunumanii* in Colombia, South America 107

Forest Ecology and Management, 55 (1992) 351–354
Elsevier Science Publishers B.V., Amsterdam

Subject Index

Aboveground biomass
Aboveground biomass accumulation in coppicing woodland, northeast Brazil 201
Acacia
Genotypic variation in growth and nodulation by seedlings of *Acacia* species 209
Acer
Radial growth response of understory sugar maple (*Acer saccharum* Marsh.) surrounding openings 249
Atmospheric deposition
Floristic changes in the herb-layer vegetation of a deciduous forest in the Lorraine Plane under the influence of atmospheric deposition 149
Biomass
Aboveground biomass accumulation in coppicing woodland, northeast Brazil 201
Biomass and net production of teak plantations in a dry tropical region in India 233
Environmental and genetic influences on short-rotation biomass production of black locust (*Robinia pseudoacacia* L.) in the Georgia Piedmont 315
Microfungal biomass in some tropical forest soils of Orissa, India 333
Nutrient cycling in forested catchments in southeastern New South Wales. 1. Biomass accumulation 135
The biomass production of three poplar clones in relation to intercepted solar radiation 1
Black locust
Environmental and genetic influences on short-rotation biomass production of black locust (*Robinia pseudoacacia* L.) in the Georgia Piedmont 315
Budworm
A method to calculate the losses caused by western spruce budworm in uneven-aged Douglas fir forests of British Columbia 295
Carbon dioxide emissions
Temperate forest as a carbon-storage reservoir for carbon dioxide emitted by coal-fired generating stations. A case study for New Brunswick, Canada 15
Carbon-storage reservoir
Temperate forest as a carbon-storage reservoir for carbon dioxide emitted by coal-fired generating stations. A case study for New Brunswick, Canada 15
Catchment
Nutrient cycling in forested catchments in southeastern New South Wales. 1. Biomass accumulation 135
Clones
The biomass production of three poplar clones in relation to intercepted solar radiation 1
Coniferous soil
Earthworm communities of limed coniferous soils: field observations and implications for forest management 117
Coppicing
Aboveground biomass accumulation in coppicing woodland, northeast Brazil 201

Defoliation
A method to calculate the losses caused by western spruce budworm in uneven-aged Douglas fir forests of British Columbia 295
Density
Using relative diameter to improve density measures in Allegheny hardwood stands 225
Diameter distribution
Predicting the impact of interspecific competition in young loblolly pine plantations with diameter distribution models 65
Douglas fir
A method to calculate the losses caused by western spruce budworm in uneven-aged Douglas fir forests of British Columbia 295
Variation in shade tolerance of Douglas fir, western hemlock, and western red cedar in coastal British Columbia 87
Dwarf bamboo
Regeneration and development in beech–dwarf bamboo forest in Japan 35
Earthworm
Earthworm communities of limed coniferous soils: field observations and implications for forest management 117
Ecology
A comparison of the ecology of pedunculate and sessile oaks: radial growth in the centre and northwest of France 51
Fagus
Regeneration and development in beech–dwarf bamboo forest in Japan 35
Family
Results of provenance and family within provenance trials of *Pinus tecunumanii* in Colombia, South America 107
Fertilization schedules
Growth, nutrient allocation and water relations of mesquite (*Prosopis chilensis*) seedlings at differing fertilization schedules 279
Floristic changes
Floristic changes in the herb-layer vegetation of a deciduous forest in the Lorraine Plain under the influence of atmospheric deposition 149
Forest floor
Forest floor and mineral soil development in *Casuarina equisetifolia* plantations on the coastal sand dunes of Senegal 259
Forest management
Logging impacts and prospects for sustainable forest management in an old Amazonian frontier: the case of Paragominas 169
Growth
Genotypic variation in growth and nodulation by seedlings of *Acacia* species 209
Hardwood stands
Using relative diameter to improve density measures in Allegheny hardwood stands 225
Herb-layer vegetation
Floristic changes in the herb-layer vegetation of a deciduous forest in the Lorraine Plain under the influence of atmospheric deposition 149
Interspecific competition
Predicting the impact of interspecific competition in young loblolly pine plantations with diameter distribution models 65
Lime
Earthworm communities of limed coniferous soils: field observations and implications for forest management 117

Logging
Logging impacts and prospects for sustainable forest management in an old Amazonian frontier: the case of Paragominas 169
Mesquite
Growth, nutrient allocation and water relations of mesquite (*Prosopis chilensis*) seedlings at differing fertilization schedules 279
Microfungal biomass
Microfungal biomass in some tropical forest soils of Orissa, India 333
Mineral soil
Forest floor and mineral soil development in *Casuarina equisetifolia* plantations on the coastal sand dunes of Senegal 259
Net production
Biomass and net production of teak plantations in a dry tropical region in India 233
Nodulation
Genotypic variation in growth and nodulation by seedlings of *Acacia* species 209
Nutrient cycling
Nutrient cycling in forested catchments in southeastern New South Wales. 1. Biomass accumulation 135
Openings
Radial growth response of understory sugar maple (*Acer saccharum* Marsh.) surrounding openings 249
Overstory
Comparison of linear and non-linear overstory–understory models for ponderosa pine: a conceptual framework 31
Piaçabeira
Leopoldinia piassaba Wallace (Arecaceae): a few biological and economic data from the Rio Negro region (Brazil) 83
Pinus
Comparison of linear and non-linear overstory–understory models for ponderosa pine: a conceptual framework 31
Predicting the impact of interspecific competition in young loblolly pine plantations with diameter distribution models 65
Results of provenance and family within provenance trials of *Pinus tecunumanii* in Colombia, South America 107
Populus
The biomass production of three poplar clones in relation to intercepted solar radiation 1
Prosopis
Growth, nutrient allocation and water relations of mesquite (*Prosopis chilensis*) seedlings at differing fertilization schedules 279
Provenance
Results of provenance and family within provenance trials of *Pinus tecunumanii* in Colombia, South America 107
Quercus
A comparison of the ecology of pedunculate and sessile oaks: radial growth in the centre and northwest of France 51
Radial growth
A comparison of the ecology of pedunculate and sessile oaks: radial growth in the centre and northwest of France 51
Radial growth response of understory sugar maple (*Acer saccharum* Marsh.) surrounding openings 249

Regeneration
Logging impacts and prospects for sustainable forest management in an old Amazonian frontier: the case of Paragominas 169
Regeneration and development in beech–dwarf bamboo forest in Japan 35
Relative diameter
Using relative diameter to improve density measures in Allegheny hardwood stands 225
Rotation
Environmental and genetic influences on short-rotation biomass production of black locust (*Robinia pseudoacacia* L.) in the Georgia Piedmont 315
Sawmill
Logging impacts and prospects for sustainable forest management in an old Amazonian frontier: the case of Paragominas 169
Seedlings
Genotypic variation in growth and nodulation by seedlings of *Acacia* species 209
Growth, nutrient allocation and water relations of mesquite (*Prosopis chilensis*) seedlings at differing fertilization schedules 279
Shade tolerance
Variation in shade tolerance of Douglas fir, western hemlock, and western red cedar in coastal British Columbia 87
Soil
Earthworm communities of limed coniferous soils: field observations and implications for forest management 117
Microfungal biomass in some tropical forest soils of Orissa, India 333
Solar radiation
The biomass production of three poplar clones in relation to intercepted solar radiation 1
Teak plantations
Biomass and net production of teak plantations in a dry tropical region in India 233
Temperate forest
Temperature forest as a carbon-storage reservoir for carbon dioxide emitted by coal-fired generating stations. A case study for New Brunswick, Canada 15
Understory
Comparison of linear and non-linear overstory–understory models for ponderosa pine: a conceptual framework 31
Radial growth response of understory sugar maple (*Acer saccharum* Marsh.) surrounding openings 249
Western hemlock
Variation in shade tolerance of Douglas fir, western hemlock, and western red cedar in coastal British Columbia 87
Western red cedar
Variation in shade tolerance of Douglas fir, western hemlock, and western red cedar in coastal British Columbia 87